







Eclipse Manual Shut-Off Gas Valves


|  | <p style="text-align: center;">Lever Handle Valve</p> <p style="text-align: center;">Maximum Working Pressure: 5 psig</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Size</th> <th>Part#</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>1/8"</td> <td>11020</td> <td>1-9/16"</td> <td>1-3/8"</td> <td>7/8"</td> <td>1"</td> </tr> </tbody> </table> | Size | Part# | A | B | C | D | 1/8" | 11020 | 1-9/16" | 1-3/8" | 7/8" | 1" |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|---------|---------|--------|----------------|----------------|----------------|----------------|-------|---------|---------|--------|----|---|-------|--------|---------|--------|--------|--------|-------|---------|--------|-------|---------|--------|--------|--------|--------|--------|-------|--------|--------|---------|--------|--------|--------|--------|--------|--------|--------|--------|-----|--------|-------|--------|--------|----|------|-----|---|----|--------|----|-----|--------|-------|---------|--------|--------|-----|----|-------|---------|----|--------|-----|----|-------|--------|----|--------|------|--|
| Size | Part# | A | B | C | D | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1/8" | 11020 | 1-9/16" | 1-3/8" | 7/8" | 1" | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | <p style="text-align: center;">Brass Ball Valves</p> <p style="text-align: center;">UL, CSA, FM 1/4" - 3/4": 600 psig 1" - 2": 500 psig 2 1/2" - 4": 400psig</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Size</th> <th>Part#</th> <th>A</th> <th>B</th> <th>C</th> <th>C_v</th> </tr> </thead> <tbody> <tr><td>1/4"</td><td>10328</td><td>1-7/8"</td><td>1-7/16"</td><td>3"</td><td>12</td></tr> <tr><td>3/8"</td><td>10324</td><td>1-7/8"</td><td>1-7/16"</td><td>3"</td><td>12</td></tr> <tr><td>1/2"</td><td>10334</td><td>2-7/16"</td><td>1-1/2"</td><td>3"</td><td>20</td></tr> <tr><td>3/4"</td><td>10344</td><td>2-3/4"</td><td>1-7/8"</td><td>3-3/4"</td><td>42</td></tr> <tr><td>1"</td><td>10348</td><td>3-5/16"</td><td>2-3/8"</td><td>4-3/4"</td><td>78</td></tr> <tr><td>1-1/4"</td><td>10354</td><td>3-7/8"</td><td>2-5/8"</td><td>4-3/4"</td><td>132</td></tr> <tr><td>1-1/2"</td><td>10357</td><td>4-3/4"</td><td>3-1/4"</td><td>6"</td><td>207</td></tr> <tr><td>2"</td><td>10372</td><td>5"</td><td>3-1/2"</td><td>6"</td><td>346</td></tr> <tr><td>2-1/2"</td><td>14180</td><td>6-1/16"</td><td>4-1/2"</td><td>7-7/8"</td><td>484</td></tr> <tr><td>3"</td><td>14558</td><td>7-1/16"</td><td>5"</td><td>7-7/8"</td><td>639</td></tr> <tr><td>4"</td><td>14559</td><td>8-7/8"</td><td>6"</td><td>9-7/8"</td><td>1092</td></tr> </tbody> </table> | Size | Part# | A | B | C | C _v | 1/4" | 10328 | 1-7/8" | 1-7/16" | 3" | 12 | 3/8" | 10324 | 1-7/8" | 1-7/16" | 3" | 12 | 1/2" | 10334 | 2-7/16" | 1-1/2" | 3" | 20 | 3/4" | 10344 | 2-3/4" | 1-7/8" | 3-3/4" | 42 | 1" | 10348 | 3-5/16" | 2-3/8" | 4-3/4" | 78 | 1-1/4" | 10354 | 3-7/8" | 2-5/8" | 4-3/4" | 132 | 1-1/2" | 10357 | 4-3/4" | 3-1/4" | 6" | 207 | 2" | 10372 | 5" | 3-1/2" | 6" | 346 | 2-1/2" | 14180 | 6-1/16" | 4-1/2" | 7-7/8" | 484 | 3" | 14558 | 7-1/16" | 5" | 7-7/8" | 639 | 4" | 14559 | 8-7/8" | 6" | 9-7/8" | 1092 |  |
| Size | Part# | A | B | C | C _v | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1/4" | 10328 | 1-7/8" | 1-7/16" | 3" | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3/8" | 10324 | 1-7/8" | 1-7/16" | 3" | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1/2" | 10334 | 2-7/16" | 1-1/2" | 3" | 20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3/4" | 10344 | 2-3/4" | 1-7/8" | 3-3/4" | 42 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1" | 10348 | 3-5/16" | 2-3/8" | 4-3/4" | 78 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1-1/4" | 10354 | 3-7/8" | 2-5/8" | 4-3/4" | 132 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1-1/2" | 10357 | 4-3/4" | 3-1/4" | 6" | 207 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2" | 10372 | 5" | 3-1/2" | 6" | 346 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2-1/2" | 14180 | 6-1/16" | 4-1/2" | 7-7/8" | 484 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3" | 14558 | 7-1/16" | 5" | 7-7/8" | 639 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4" | 14559 | 8-7/8" | 6" | 9-7/8" | 1092 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | <p style="text-align: center;">Brass Ball Valves with Side Tap</p> <p style="text-align: center;">UL, CSA, FM 1/2" - 3/4": 600 psig 1" - 2": 500 psig</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Size</th> <th>Part#</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>C_v</th> </tr> </thead> <tbody> <tr><td>1/2"</td><td>14969</td><td>2-7/16"</td><td>1-1/2"</td><td>3"</td><td>1/8"</td><td>20</td></tr> <tr><td>3/4"</td><td>12961</td><td>2-3/4"</td><td>1-7/8"</td><td>3-3/4"</td><td>1/8"</td><td>42</td></tr> <tr><td>1"</td><td>19122</td><td>3-5/16"</td><td>2-3/8"</td><td>4-3/4"</td><td>1/8"</td><td>78</td></tr> <tr><td>1-1/4"</td><td>14916</td><td>3-7/8"</td><td>2-5/8"</td><td>4-3/4"</td><td>1/4"</td><td>132</td></tr> <tr><td>1-1/2"</td><td>14918</td><td>4-3/4"</td><td>3-1/4"</td><td>6"</td><td>1/4"</td><td>207</td></tr> <tr><td>2"</td><td>14926</td><td>5"</td><td>3-1/2"</td><td>6"</td><td>1/4"</td><td>346</td></tr> </tbody> </table> | Size | Part# | A | B | C | D | C _v | 1/2" | 14969 | 2-7/16" | 1-1/2" | 3" | 1/8" | 20 | 3/4" | 12961 | 2-3/4" | 1-7/8" | 3-3/4" | 1/8" | 42 | 1" | 19122 | 3-5/16" | 2-3/8" | 4-3/4" | 1/8" | 78 | 1-1/4" | 14916 | 3-7/8" | 2-5/8" | 4-3/4" | 1/4" | 132 | 1-1/2" | 14918 | 4-3/4" | 3-1/4" | 6" | 1/4" | 207 | 2" | 14926 | 5" | 3-1/2" | 6" | 1/4" | 346 |  | | | | | | | | | | | | | | | | | | | | | | | |
| Size | Part# | A | B | C | D | C _v | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1/2" | 14969 | 2-7/16" | 1-1/2" | 3" | 1/8" | 20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3/4" | 12961 | 2-3/4" | 1-7/8" | 3-3/4" | 1/8" | 42 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1" | 19122 | 3-5/16" | 2-3/8" | 4-3/4" | 1/8" | 78 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1-1/4" | 14916 | 3-7/8" | 2-5/8" | 4-3/4" | 1/4" | 132 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1-1/2" | 14918 | 4-3/4" | 3-1/4" | 6" | 1/4" | 207 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2" | 14926 | 5" | 3-1/2" | 6" | 1/4" | 346 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



FM Approved Supervisory Gas Valves

Maximum Working Pressure: 200 psig


| Size | Part# | A | B | C | D | C _v |
|--------|-------|--------|--------|---------|---------|----------------|
| 1/2" | 17379 | 3-3/4" | 5-1/4" | 2-7/8" | 8-1/8" | 19 |
| 3/4" | 15953 | 3-3/4" | 5-1/4" | 2-7/8" | 8-1/8" | 31 |
| 1" | 15955 | 4-1/4" | 5-5/8" | 3-5/16" | 9-5/8" | 48 |
| 1-1/4" | 15959 | 5" | 7-1/8" | 4" | 9-5/8" | 92 |
| 1-1/2" | 15961 | 5" | 7-1/8" | 4" | 9-5/8" | 130 |
| 2" | 17224 | 6" | 9" | 5-1/8" | 14-3/4" | 220 |



Lubricated Plug Valves

UL: 200 psig
 CSA: 125 psig
 FM (1/2"-3/4" only): 50 psig
 Wrench supplied Loose


| Size | Part# | A | B | C | C _v |
|--------|-------|--------|----------|---------|----------------|
| 1/2" | 18812 | 3-3/4" | 5-1/4" | 2-7/8" | 19 |
| 3/4" | 18813 | 3-3/4" | 5-1/4" | 2-7/8" | 31 |
| 1" | 18814 | 4-1/4" | 5-5/8" | 3-5/16" | 42 |
| 1-1/4" | 18815 | 5" | 7-1/8" | 4" | 72 |
| 1-1/2" | 18816 | 5" | 7-1/8" | 4" | 85 |
| 2" | 18817 | 6" | 9" | 5-1/8" | 150 |
| 2-1/2" | 18818 | 6-3/4" | 9-9/16" | 5-3/8" | 220 |
| 3" | 18819 | 7-5/8" | 11-7/16" | 6-1/2" | 345 |
| 4" | 18820 | 10" | 13-3/4" | 7-3/4" | 525 |



Eccentric Plug Cocks

(UL Listed & CSA Approved)
 Maximum Working Pressure: 175 psig

| Size | Part# | A | B | C | D | C _v |
|--------|-------|--------|----------|--------|-----|----------------|
| 1/2" | 19790 | 3-1/4" | 4-3/4" | 3-1/2" | 4" | 9 |
| 3/4" | 19791 | 3-3/4" | 5" | 3-5/8" | 4" | 22 |
| 1" | 19792 | 4-1/4" | 5-11/16" | 4" | 5" | 35 |
| 1-1/4" | 19793 | 4-3/4" | 6-1/8" | 4-1/4" | 5" | 54 |
| 1-1/2" | 19794 | 5" | 6-3/8" | 4-3/8" | 6" | 78 |
| 2" | 19795 | 5-1/2" | 7" | 4-3/4" | 6" | 135 |
| 2-1/2" | 19796 | 6-7/8" | 8-3/8" | 5-1/2" | 8" | 180 |
| 3" | 19797 | 7-1/2" | 9" | 5-3/4" | 10" | 270 |
| 4" | 19798 | 9-1/4" | 11-1/8" | 6-7/8" | 12" | 500 |





Brass Hose Valve

1/8" NPT male x 1/8" NPT female
Part# 10322
CGA certified: 1/2 psig

Hose Fitting for Hose Valve

1/8" NPT male x 1/4" hose
Part# 14380





Offered By:

Power Equipment Company
2011 Williamsburg Road
Richmond, Virginia 23231
Phone (804) 236-3800
Fax (804) 236-3882

www.peconet.com