



POWER EQUIPMENT CO.

Manufacturers Representative

2011 Williamsburg Rd. • Richmond, VA 23231

(804) 236-3800 • FAX (804) 236-3882

www.peconet.com

SUGGESTED SPECIFICATIONS & CHECKLIST KRAISSL MODEL 72 SERIES BASKET STRAINERS

STRAINER CHECKLIST:

SUGGESTED SPECIFICATIONS:

Please consider the factors listed below when selecting a strainer.

Use this page and fill-in this information where known. We will help you find the Kraissl strainer to suit your specific application.

1. Fluid to be strained _____
2. Density of fluid _____
3. Viscosity of fluid _____
4. Fluid working pressure _____
Maximum working pressure _____
5. Fluid working temp. _____
Maximum temp. _____
6. Material of strainer body construction _____
7. Strainer configuration (simplex or duplex) _____
8. Existing Pipeline size & material _____
9. Nature of solids to be collected _____
10. Size of solids to be collected _____
perforation or mesh size required _____
11. Clearance limitations
Above _____ Below _____
left side facing inlet _____
right side facing inlet _____
12. Maximum pressure drop with clean basket _____
13. Expected cleaning frequency _____
14. Any other information _____

The strainer shall be _____ (simplex or duplex) type, with _____ (pipe size) inlet/outlet ports.

The strainer shall have _____ (flanged threaded, etc.) end port connections complete with a _____ (hand clamped or bolted) cover assembly for basket/screen removal.

The strainer body shall be fitted with threaded NPT drain plugs, and suitable for _____ psig operating pressure at _____ F operating temperature.

The strainer body shall be constructed of _____ (iron, bronze, steel or stainless steel).

The baskets/screens shall be constructed of _____ (brass, steel, stainless steel or monel) with _____ perforations (perf. size).

A mesh lining of _____ (20, 40, 60, 80, 100, 200 mesh) _____ (is/is not) required.

Strainers shall be Kraissl Model #72 or approved equal.

Your Name _____
 Company _____
 Address _____
 City/Town _____
 State _____ Zip Code _____
 Telephone (____) _____ Ext _____
 Fax (____) _____